



Model – UNC-PE-7 L/H

| General | | | |
|---------------------------------|---------------------------|---|----------------|
| Body | Plastic (PE) | | |
| Capacity | 7 Liter/Hour | | |
| Dimensions(Lng.)x(Hgt.)x(Wdt.) | 64.5 x 41.5 x 41cm | | |
| Fan Flow Capacity | 295 m ³ / Hour | | |
| Effective Area | 50 m ² | | |
| Mist Out Diameter | 110 mm x 1 | | |
| Operating Temperature (Outdoor) | 5°C~40°C | | |
| Net Weight | 12.5 Kg | | |
| Maintenance Hour | 5000 Hour | | |
| Humidity & Temperature Sensor | Yes | SHT40 Chip (Accuracy : ±1.8%RH – 0.2°C) | |
| Timed Operation Feature | Yes | | |
| Auto Water Control | Yes | | |
| Electricity | | | |
| Voltage | 220V - 50Hz | | |
| Power Consumption (Watt) | 295 Watt | | |
| Current | 1.34 A | | |
| Mist Maker | | | |
| Voltage | Min: 44VDC | Standart:45VDC | Maksimum:46VDC |
| Maximum Water Consumption | 6500ML | 7000ML | 7500ML |
| Current | 5.3A | 5.6A | 5.9A |
| Heat Protection | 70°C | 75°C | 80°C |
| Ideal Water Temperature | 30°C | | |
| Fan - (IP68) | | | |
| Fan Watt | 10.8 Watt | | |
| Fan Current | 0.9 A | | |
| Fan Voltage | 12 VDC | | |
| Fan RPM | 4000 | | |
| Fan m ³ /min. | 4.55 | | |
| Fan Air Pressure mmH2O | 15.46 | | |

Effective Area: tested indoors at 25°C ambient temperature without air conditioning and ventilation.